

Docket No. B-06304

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Driesen et al.)	Examiner: Unknown
)	
Serial Number: Unknown)	Group Art Unit: Unknown
)	
For: Bristle for a Toothbrush, Particularly for an Electric Toothbrush, and Method for its Manufacture)	Filed: Herewith
)	

Box Patent Application
Assistant Commissioner for Patents
Washington, DC 20231

FIRST PRELIMINARY AMENDMENT

In the Abstract:

Delete after line 7 the notations "(FIG. 1b)" and "06 Dec 00/BH.".

In the Specification:

In the English translation:

at page 1, before the first paragraph, add the following:

--This is a continuation of International Application No. PCT/EP99/04577, pending,
with an International filing date of July 2, 1999.--

EXPRESS MAIL CERTIFICATE (37 CFR 1.10)

I hereby certify that this Continuation Application Transmittal and the documents referred to as enclosed herewith are being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" on the date shown below in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

March 9, 2001
Date
EL150054819US
Express Mail Label No.

Carren L. Munroe
Printed Name: CARREN L. MUNROE

at page 1, before line 3, insert caption --Field of the Invention--;

after the first paragraph, insert caption --Background --;

at page 2, before the first paragraph, insert caption --Summary of the Invention--;

at page 6, line 10, delete "In the drawings,";

between lines 10 and 11 insert the caption --Brief Description of the Drawings--;

at page 7, between lines 10 and 11, insert caption --Detailed Description of Preferred Embodiments--; and

at page 13, after the last line, insert paragraph --We claim:-- .

In the Claims:

Kindly amend the, without prejudice, as follows:

--Claim 3, line 1, delete "or 2";

--Claim 4, line 2, delete "to 3";

--Claim 5, line 2, delete "to 4";

--Claim 6, line 2, delete "to 5";

--Claim 7, line 2, delete "to 6";

--Claim 8, line 2, delete "to 7";

--Claim 9, line 2, delete "to 8";

--Claim 10, line 2, delete "to 9";

--Claim 11, lines 1-2, change "any one of the preceding claims" to --claim 1--;

--Claim 12, lines 1-2, change "any one of the preceding claims" to --claim 1--;

--Claim 14, lines 1-2, change "any one of the preceding claims" to --claim 1--;

--Claim 17, line 1, delete --or 16--;

--Claim 18, line 2, delete "to 17";
--Claim 19, line 2, delete "to 18";
--Claim 20, line 2, delete "to 19";
--Claim 21, line 2, delete "to 20";
--Claim 22, line 2, delete "to 21";
--Claim 23, line 2, delete "to 22"--

REMARKS


This application originated in Germany, and this preliminary amendment is believed to place the claims in a form that is more consistent with the requirements and/or practice in the U.S. Patent and Trademark Office, and to secure applicants' rights in the invention. Generally, the claims have been amended to avoid multiple dependent claims in this application. Claims 1-23 are presented, apparatus claim 1 and method claim 15 being independent. Applicants' undersigned intends to file a Second Preliminary after receipt of the Filing Receipt presenting the claims in better form for US practice.

The specification has been amended to refer to the present application as a continuation of International Patent Application PCT/EP99/04577, with an international filing date of July 2, 1999.

Applicants claim right of priority under 35 U.S.C. §119 of an application filed in Germany, serial number 198 41 974.0, filed September 14, 1998. A certified copy of the German priority document is supplied herewith.

If a telephone conference would helpfully advance prosecution, the Examiner is invited to telephone the undersigned at 617-421-7939. Please apply any charges or credits to Deposit Account No. 07-1350.

Respectfully submitted,



Edward S. Podszus
Reg. No. 35,983
Attorney for Applicant(s)

Date: March 6, 2001

Patent Department
The Gillette Company
Prudential Tower Building
Boston, MA 02199
(617) 421-7939 (EST)

**Bristle for a Toothbrush, Particularly for an Electric Tooth
brush, and Method for its Manufacture**

This is a continuation of International Application No. PCT/EP99/04577, pending, with an International filing date of July 2, 1999.

Field of the Invention

This invention relates to a bristle for a toothbrush, particularly for an electric toothbrush, which is manufactured from a monofilament formed of plastic. The invention relates likewise to a method for manufacturing a bristle for a toothbrush, particularly for an electric toothbrush, in which a monofilament is manufactured from plastic.

Background

A bristle of said type and a method of said type are known from German Offenlegungsschrift DE 196 45 852 A1. This specification contains a description of a monofilament having a non-circular cross section. Subsequent to being extruded the monofilament is twisted about its longitudinal axis and fixed with the aid of chemical agents. This results in a three-dimensionally structured surface which produces a better cleaning effect, particularly when removing plaque.

From German Offenlegungsschrift DE 196 40 853 A1 there is known a bristle for a toothbrush, being comprised of plastic and having several interconnected filaments. Said filaments are wound or braided and joined together with the aid of chemical agents. At the free end of the bristle manufactured from these filaments a fanning effect is accomplished by subjecting the free end of the bristle to a mechanical processing operation, for example.

It is also known to perform such fanning of the free end of a bristle in cases where a monofilament is involved. In this case it is necessary for the free end of the bristle to be processed by a cutting tool or the like.

-2-

Summary of the Invention

It is an object of the present invention to provide a bristle manufactured from a monofilament, with the possibility of fanning the free end of the bristle in simple manner.

This object is accomplished by the invention with a bristle of the type initially referred to in that the bristle has at least two zones plus at least one point of preferred breaking in its cross section. Further, the object is accomplished with a method of the type initially referred to in that the monofilament is manufactured in such a way that it has at least two zones plus at least one point of preferred breaking in its cross section.

One or several points of preferred breaking are formed within the monofilament by the zones which according to the invention exist in the cross section of the monofilament and are filled preferably with plastic. These points of preferred breaking are approximately located where the at least two zones adjoin one another. A bristle manufactured from such a monofilament no longer requires the use of elaborate cutting tools or the like for it to be fanned at its free end. Instead it suffices for the free end of the bristle to be mechanically processed. Such mechanical processing can be performed, for example, by upsetting, knocking, rounding, cutting, grinding, polishing or beating the free end of the bristle. As a result of this mechanical processing of the free end of the bristle, the different zones present in cross section will break at the described points of preferred breaking. Hence there will result at the free end of the bristle at least two sub-filaments corresponding to the at least two zones of the original monofilament. If the original monofilament has a multiplicity of zones in cross section, the mechanical processing of the free end of the

-6-

Further features, application possibilities and advantages of the present invention will become apparent from the subsequent description of embodiments of the invention illustrated in the Figures of the accompanying drawings. It will be understood that any features described or represented by illustration, whether used singularly or in any combination, form the subject-matter of the present invention, irrespective of their summary in the claims or their back reference and irrespective of their wording and representation in the description and the drawings, respectively.

Brief Description of the Drawings

FIG. 1a is a schematic view, in cross section, of a monofilament illustrating a first embodiment, comprising two or more pairs of plastic materials, one zone being essentially star-shaped while the other zones are shaped in an essentially segmental or sectoral configuration;

FIG. 1b is a schematic view, in cross section, of a monofilament illustrating a second embodiment, having zones shaped in a segmental or sectoral configuration;

FIG. 2a shows schematic longitudinal sectional views of an embodiment of an extrusion die used for manufacturing a monofilament;

FIG. 2b shows schematically cross sectional views of the monofilament as it passes through the extrusion die of FIG. 2a;

FIG. 3a is a schematic cross sectional view of an embodiment of a monofilament having a non-circular cross section and a cavity or a further plastic in longitudinal direction;

-7-

FIG. 3b is a schematic cross sectional view of an embodiment of a monofilament having a non-circular cross section, a cavity or a further plastic, and points of preferred breaking in longitudinal direction;

FIG. 3c is a schematic cross sectional view of an embodiment of a monofilament having a non-circular cross section and several cavities or a further plastic in longitudinal direction; and

FIG. 4 is a schematic side view of a reel from which a monofilament is drawn.

Detailed Description of Preferred Embodiments

FIG. 1a shows the first embodiment of a monofilament 1 in a cross sectional view. The monofilament 1 has several zones 2, 3 and 4, of which at least zone 4 on the one hand and zones 2, 3 on the other hand are manufactured from plastics with different properties. In addition, it is also possible, of course, to arrange different plastics in the zones 2, 3, which may also have differences to the plastic in zone 4. The zones 2, 3 are separated from each other by the zone 4, with the possibility for the plastic in zones 2, 3 to have different filler materials or colors. The zone 4 may be constructed of bars arranged in star shape and essentially positioned in point symmetry and/or mirror symmetry with the central longitudinal axis of the monofilament 1. The zones 2, 3 are constructed in segment or sector form between the bars of zone 4 arranged in star shape. In this embodiment there are a total of eight zones 2, 3, but it will be understood, of course, that any number of zones 2, 3 and 4 may be selected.

The monofilament 5 seen in the cross sectional view shown in FIG. 1b has successive zones 6, 7, each of which is

-13-

If a monofilament according to FIG. 1b is used, the points of preferred breaking 8 of the monofilament 5 will break open at the free end of the bristle in question. Hence a total of eight individual sub-filaments are formed at the free end of the bristle.

If a monofilament according to FIG. 2b is used, the three zones 17 of the common strand 15 will break open at the free end of the bristle. Hence three separate sub-filaments are formed at the free end of the bristle.

If monofilaments according to FIGS. 3a, 3b, 3c are used, these monofilaments will break open in particular at the points of preferred breaking 35. Individual sub-filaments are thus formed at the free ends of the bristles.

Hence the mechanical processing of the free ends of the bristles required for rounding said ends results simultaneously in the splitting of the free ends of the bristles in their longitudinal direction. Depending on the type and intensity of mechanical processing applied to the free ends of the bristles it is possible to control the extent to which the bristles split in longitudinal direction. Splitting preferably extends over approximately 10% to approximately 25% of the length of the bristle.

The bristles and tufts of bristles manufactured by this method are used preferably in an electric toothbrush. They are intended for use in particular in a round headed toothbrush, preferably within its inner field.

We claim: